



GYLON

Flange Gasket, 2 in., 1/16 in., Blue, PTFE

Price ⓘ
\$10.58 / each

Deliver one time only

Auto-Reorder Every 1 Month



1

Add to Cart

[+Add to list](#)

Availability for Qty

[Go](#)

Shipping Pickup

Expected to arrive
Mon. Feb 29.

Ship to: **19702** [\(Change\)](#)

🗣️ How can we improve our **Product Images?**

Compare



[Be the first to write a review](#) | [Ask & Answer](#)

Item # **38VR21**

Mfr. Model # **3504RG-0150-062-** UNSPSC # **311815010200**

Catalog Page # **N/A**

Shipping Weight **0.03 lbs.**

Country of Origin **USA** | *Country of Origin is subject to change.*

Note: Product availability is real-time updated and adjusted continuously. The product will be reserved for you when you complete your order. [More](#)

Technical Specs

Item	Flange Gasket
Type	Ring Gasket
Pipe Size	2"
Outside Dia.	4-1/8"
Inside Dia.	2-3/8"
Thickness	1/16"

Material of Construction	PTFE with Aluminosilicate Microspheres
Max. Pressure (PSI)	800
Temp. Range (F)	-450 Degrees to 500 Degrees
Color	Blue
Metal Detectable	No
Standards	ABS, FDA and USP

Compliance and Restrictions

Alternate Search Terms

Pipe Gaskets (547)

Flange Gaskets (528)

Customers Also Purchased

Customer Reviews

Reviews

[Write Reviews](#)



This Product has no Reviews. Be the first to [Write a Review](#).

Product Reviews Disclaimer:

Grainger is neither responsible for, nor does it endorse, the content of any product review or statement posted. Any statements posted constitute the statements of the poster and are not the statements of Grainger. The statements posted by Grainger employees with the Grainger employee badge represent the views of such employees and are not the statements of Grainger. Grainger makes no representations as to the appropriateness, accuracy, completeness, correctness, currentness, suitability, or validity of any product review or statements posted, including those posted by employees with the Grainger employee badge, and is not liable for any losses, injuries or damages which may result from any such product review or statements. Use of any linked web site provided in a product review or post is at the user's own risk.

Ask & Answer

0 Questions | 0 Answers |

This Product has no Q&A. Be the first to

Ask and Answer Disclaimer:

Grainger is neither responsible for, nor does it endorse, the content of any statement posted. Any statements posted constitute the statements of the poster and are not the statements of Grainger.

The statements posted by Grainger employees with the Grainger employee badge represent the views of such employees and are not the statements of Grainger. Grainger makes no representations as to the appropriateness, accuracy, completeness, correctness, currentness, suitability, or validity of any statements posted, including statements posted by employees with the Grainger employee badge, and is not liable for any losses, injuries or damages which may result from any such statements.

Use of any linked web site provided in a post is at the user's own risk. This site should not replace the use by you of any technical product manual or other professional resource or adviser available to you.

The source for the answers given by Grainger in Ask and Answer are based on the information provided with the question, which may not be complete or may not apply to other situations, and based on product literature and informational materials, the content of which is provided by Grainger's product suppliers. Grainger disclaims liability for any information it provides in Ask and Answer which later may be alleged or determined by a court of

law to be inaccurate or incorrect.

The answers given by Grainger in Ask and Answer are not intended to replace or supplement any professional, engineering or other consultation services available to its product users. Always read, understand, and follow the product information and instructions provided by the manufacturer. same on category AAA as well