



Job Detail Transaction Report

Service Request Number	1-45899325697
LOB / SR Type / Subtype	HVAC-Equipment / L&M / Custom Quote
Service Site	DUPONT EXPERIMENTAL STATION DUPONT EXPERIMENTAL

Report Date 02/20/2017

Page 1 of 5

SERVICE REQUEST (SR):

Status: Scheduled
Substatus: Pending Arrival
Hold Reason Code:
Hold Effective Date:
Agreement #:
Entitlement:
Priority: Routine
Requester: Cozza, Raul
Service Address: RT 141 LANCASTER PIKE
WILMINGTON, DE, 19880-0000
Main Phone: (302) 218-9257
Work Phone: (302) 695-7842
Mobile Phone: (302) 218-9898
Email Address: raul.j.cozza@dupont.com

Branch: JOHNSON CONTROLS SALISBURY
WILMINGTON CB - 0N28
Team: 260 Delmarva North Team SVC
SR Owner: Dolphin, Lynn
Created By: Dolphin, Lynn

Bill To Account: E I DUPONT DENEMOURS CO
AR Number: 1325779
PO #: 6501692933
Blanket PO #:
Work Order #:
Authorization #:
Tracking #:
Quoted Amount: \$3,197.15

FINANCIAL SUMMARY	
Work In Progress (WIP)	
WIP - Labor	\$2,730.62
WIP - Expense	\$0.00
WIP - Materials	\$279.52
WIP - SubContract	\$0.00
WIP - Fee Charges	\$135.00
Total WIP	\$3,145.14
Cost of Goods Sold (COGS):	
COGS - Labor	\$0.00
COGS - Expense	\$0.00
COGS - Materials	\$0.00
COGS - SubContract	\$0.00
COGS - Fee Charges	\$0.00
Total COGS	\$0.00
Revenue \$	\$0.00
Margin \$	(\$3,145.14)
Margin %	

(Note: The revenue and margin section are populated if revenue has been posted)

Service Requested:

Chiller #8 Annual Maintenance 2017

Remove Refrigerant Sample for Chemical Analysis
Refrigerant leak test chiller and document leaks found (repair minor leaks, if possible)
Furnish and Change Compressor Oil Filter, and Oil Return Filter-Drier
Change Compressor Oil w/ YORK J (Provided by DuPont)
Disassemble Compressor Coupling and Check Cold Alignment
Check Low-Speed Compressor Axial Thrust Reading
Reassemble Coupling and Re-Check Compressor Coupling Cold Alignment
Vacuum out Compressor Motor and Change Air Filters
Change Oil in Compressor Motor Bearings (Provided by DuPont)
Check all Chiller Controls, Safeties, and Low Voltage Electrical Connections
Documents all tasks and Provide Comprehensive Report to DuPont

All other task, such as Recovery, Evacuation, Oil Sample, and Re-Charge are being performed under other Quotes

SERVICE PERFORMED SUMMARY:

ACTIVITY - SCHEDULED	Assigned Technician	Activity #	Service Provided	Asset ID	Customer Tag	Serial Number	Model Number
----------------------	---------------------	------------	------------------	----------	--------------	---------------	--------------



Job Detail Transaction Report

Service Request Number

1-45899325697

LOB / SR Type / Subtype

HVAC-Equipment / L&M / Custom Quote

Service Site

DUPONT EXPERIMENTAL STATION
DUPONT EXPERIMENTAL

Report Date 02/20/2017

Page 2 of 5

DATE:							
01/27/2017	Kevin Fraze	1-L3J429F	<p>CHILLER #8 ANNUAL MAINTENANCE:</p> <p>DuPont PO#: 6501692933</p> <p>RUN HOURS: 47,714 TOTAL STARTS: 2088</p> <ul style="list-style-type: none"> REMOVED REFRIGERANT SAMPLE FROM R-134A RECOVERED FROM CHILLER & SHIPPED TO LAB FOR ANALYSIS (will forward report to DuPont upon receipt) REMOVED OIL SAMPLE FROM COMPRESSOR SUMP & SHIPPED TO LAB FOR ANALYSIS (Expense covered under QUOTE# 1-JV664S7) REPLACED MAIN OIL FILTER REPLACED OIL RETURN FILTER-DRIER (C-413) CHECKED OIL HEATER OPERATION. INCREASED OFFLINE SUMP SETTING TO 135F 	1-FY0MJZY	CHILLER #8	GACM117 864	OTT4G2- ZBES
01/30/2017	Kevin Fraze	1-L4SFZ67	<ul style="list-style-type: none"> REFRIGERANT LEAK TESTED ENTIRE CHILLER NEW LEAKS DISCOVERED & FIXED: <ol style="list-style-type: none"> COMPRESSOR DISCHARGE FLANGE (SMALL) OLD LEAKS FIXED: <ol style="list-style-type: none"> REMOVED & REPLACED LEAKING REFRIGERANT ANGLE VALVE & 3/8" THREADED PIPING ON TOP OF CONDENSER (Leak was discovered 06/23/2016 & noted) REPLACED LEAKING SHAFT SEAL (UNDER QUOTE#: 1-L390LXB) REMOVED & REPLACED LEAKING RUPTURE DISK (UNDER QUOTE#: 1-FRO6QSB) DISCOVERED OIL RETURN SOLENOID VALVE SEVERELY CORRODED. REPLACED VALVE & INSTALLED INLINE SIGHT GLASS. 	1-FY0MJZY	CHILLER #8	GACM117 864	OTT4G2- ZBES
01/31/2017	Kevin Fraze	1-LAW98QI	<ul style="list-style-type: none"> CLEANED MOTOR. VACUUMED OUT INTERNALS. CHANGED BEARING OIL & AIR FILTERS (16x25x2 QTY-4) TIGHTENED MOTOR FEET BOLTS RECORDED ALIGNMENT w/LASER BEFORE DRIVE COUPLING DISASSEMBLY DISASSEMBLED 1-7/8" YORK-FLEX COUPLING AXIAL SHIMS= 0.225" MEASURED MOTOR SHAFT FLOAT= 0.522" (ACCEPTABLE) <p>MOTOR TO COMP SHAFT CLEARANCE: Motor Full Forward= 3.368" Motor Full Back= 3.890" Float Total= 0.522" (0.500-.565) Min-Max)</p> <p>MEASURED MOTOR COUPLING RIM RUNOUT= 0.003" MEASURED COMP SHAFT RADIAL RUNOUT: 0.001" MEASURED COMP AXIAL THRUST= 0.0165"</p> <ul style="list-style-type: none"> REASSEMBLED COUPLING & RECHECKED/RECORDED COLD ALIGNMENT 	1-FY0MJZY	CHILLER #8	GACM117 864	OTT4G2- ZBES
02/03/2017	Kevin Fraze	1-LC1C31C	<ul style="list-style-type: none"> REPLACED ALL ORIGINAL PRESSURE TRANSDUCERS AND COMPRESSOR DISCHARGE THERMISTOR PROACTIVELY(PROVIDED BY DUPONT) 	1-FY0MJZY	CHILLER #8	GACM117 864	OTT4G2- ZBES
02/03/2017	Kevin Fraze	1-LCVM5ZZ	<ul style="list-style-type: none"> CHECKED ALL CHILLER CONTROLS, SAFETIES, & LOW VOLTAGE ELECTRICAL CONNECTIONS VERIFIED BOTH HIGH PRESSURE SWITCH CUTOFF PRESSURES OF 180PSIG & ALARM POINT ACTIVATION ON THE POWERHOUSE MAIN CONTROL SYSTEM 	1-FY0MJZY	CHILLER #8	GACM117 864	OTT4G2- ZBES
02/06/2017	Kevin Fraze	1-LDSKEXM	<ul style="list-style-type: none"> DRAINED OLD OIL CHARGE & INSTALLED 15 GALLONS OF NEW YORK "J" OIL. DOCUMENTED ALL ANNUAL MAINTENANCE TASKS PERFORMED AND PROVIDED DUPONT WITH COMPREHENSIVE REPORT (INCLUDING OIL AND REFRIGERANT ANALYSIS REPORTS) 	1-FY0MJZY	CHILLER #8	GACM117 864	OTT4G2- ZBES



Job Detail Transaction Report

Service Request Number

1-45899325697

LOB / SR Type / Subtype

HVAC-Equipment / L&M / Custom Quote

Service Site

DUPONT EXPERIMENTAL STATION
DUPONT EXPERIMENTAL

CONFIDENTIAL AND PROPRIETARY - FOR INTERNAL USE ONLY

Report Date 02/20/2017

Page 3 of 5

WIP - Work In Progress

WIP Labor

Date	Assigned Technician	Activity #	NxGen Row ID (Time Tracker)	Branch #	Labor Type / Cost Rate / Billing Product	Adjustment	Hours	Ext Amt
01/26/2017	Kevin Frazee	1-L3J429F	1-L3ZX9Q1	0N28	Regular / Regular / Mechanical Heavy		4.00	\$364.08
01/27/2017	Kevin Frazee	1-L3J429F	1-L401E3Z	0N28	Regular / Regular / Mechanical Heavy		4.00	\$364.08
01/30/2017	Kevin Frazee	1-L4SFZ67	1-L59KQ2B	0N28	Regular / Regular / Mechanical Heavy		7.00	\$637.15
01/31/2017	Kevin Frazee	1-LAW98QI	1-LAYBUIV	0N28	Regular / Regular / Mechanical Heavy		8.00	\$728.17
02/02/2017	Kevin Frazee	1-LC1C31C	1-LCNURMW	0N28	Regular / Regular / Mechanical Heavy		3.00	\$273.06
02/03/2017	Kevin Frazee	1-LCVM5ZZ	1-LD28DUY	0N28	Regular / Regular / Mechanical Heavy		2.00	\$182.04
02/06/2017	Kevin Frazee	1-LDSKEXM	1-LDXZETD	0N28	Regular / Regular / Mechanical Heavy		2.00	\$182.04
Sub Total - Labor Kevin Frazee							30.00	\$2,730.62
TOTAL - LABOR							30.00	\$2,730.62

WIP Expense

Date	Assigned Technician	Activity #	NxGen Row ID	Branch #	Expense Type	Adjustment	Qty.	Ext Amt
TOTAL - EXPENSE								\$0.00

WIP Material

Date	Vendor / Buy Site	Activity #	Adjustment	Order #	Type of Order	Product	Description	Qty.	UOM	Unit Cost	Ext Amt
02/01/2017	GRAINGER	1-LAW98QI		1-46423802030	ISP	6WTP6	Solenoid Valve, 2/2, 1/4 In, NC, 120V, Brass	1	Each	\$72.26	\$72.26
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	SA13FM	SPORLAN 3/8" MXF FLARE S	1	Each	\$15.97	\$15.97
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	U56B	BRASS PIPE UNION 3/8" FF	2	Each	\$3.69	\$7.38
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	U16B	BRASS MALE HALF UNION 3/8"	6	Each	\$0.85	\$5.10
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	U18C	BRASS MALE HALF UNION 1/2"	4	Each	\$1.64	\$6.56
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	U34D	BRASS FEMALE HALF UNION	2	Each	\$5.91	\$11.82
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	U36D	BRASS FEMALE HALF UNION	2	Each	\$1.88	\$3.76
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	B28	BRASS FLARE GASKET 1/2"	5	Each	\$0.65	\$3.25
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	B26	BRASS FLARE GASKET 3/8"	5	Each	\$0.41	\$2.05
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	NH01012	NRP SEAL GASKETS F/1/2"	1	Package	\$10.69	\$10.69
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	NIC-1/4	NRP INSULCLAMP 1/4"	5	Each	\$2.00	\$10.00
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	NIC-1/2	NRP INSULCLAMP 1/2"	2	Each	\$2.10	\$4.20
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	NIC-3/8	NRP INSULCLAMP 3/8"	2	Each	\$2.04	\$4.08
02/01/2017	UNITED	1-LAW98QI		1-46423802289	ISP	US46	BRASS	2	Each	\$3.42	\$6.84

CONFIDENTIAL AND PROPRIETARY - FOR INTERNAL USE ONLY



Job Detail Transaction Report

Service Request Number

1-45899325697

LOB / SR Type / Subtype

HVAC-Equipment / L&M / Custom Quote

Service Site

DUPONT EXPERIMENTAL STATION
DUPONT EXPERIMENTAL

CONFIDENTIAL AND PROPRIETARY - FOR INTERNAL USE ONLY

Report Date 02/20/2017

Page 4 of 5

Date	Vendor / Buy Site	Activity #	Adjustment	Order #	Type of Order	Product	Description	Qty.	UOM	Unit Cost	Ext Amt
	REFRIGERATION INC						SWIVEL NUT UNION 3				
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	16X25X2VP8	P/A VALUE PLEAT FILTER 3	4	Each	\$3.22	\$12.88
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	4036	AIRSERCO 4OZ LIQUID VAC	1	Each	\$20.90	\$20.90
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	416207	CALGON DEGREASING EF SOL	1	Each	\$36.22	\$36.22
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	34790	DIVERSITECH 5-34790 TERI	1	Each	\$12.29	\$12.29
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	SA13U	SPORLAN 3/8" FLXSWIV NUT	1	Each	\$21.78	\$21.78
02/01/2017	UNITED REFRIGERATION INC	1-LAW98QI		1-46423802289	ISP	N4820	NC SPRAY ADHESIVE 12 OZ	1	Each	\$11.49	\$11.49
TOTAL - MATERIAL											\$279.52

WIP SubContract

Date	Vendor / Buy Site	Activity #	Adjustment	Order #	Type of Order	Product	Description	Qty.	Ext Amt
TOTAL - SUB CONTRACT									\$0.00

WIP Fee-Charges

Date	Accounting Event Name	Activity #	NxGen Row ID (Fee Tracker)	Product	Adjustment	Qty.	Ext Amt	
01/27/2017	Mileage	1-L3J429F	1-L401E6R	Mileage - Company Vehicle		25.00	\$22.50	
01/27/2017	Mileage	1-L3J429F	1-L3ZX9TF	Mileage - Company Vehicle		15.00	\$13.50	
01/30/2017	Mileage	1-L4SFZ67	1-L59KQ7B	Mileage - Company Vehicle		35.00	\$31.50	
01/31/2017	Mileage	1-LAW98QI	1-LAYBUO7	Mileage - Company Vehicle		35.00	\$31.50	
02/02/2017	Mileage	1-LC1C31C	1-LCNURPO	Mileage - Company Vehicle		15.00	\$13.50	
02/03/2017	Mileage	1-LCVM5ZZ	1-LD28DZY	Mileage - Company Vehicle		15.00	\$13.50	
02/06/2017	Mileage	1-LDSKEXM	1-LDXZEW5	Mileage - Company Vehicle		10.00	\$9.00	
Sub Total - Mileage - Company Vehicle						150.00	\$135.00	
TOTAL - FEE CHARGES							150.00	\$135.00



Job Detail Transaction Report

Service Request Number	1-45899325697
LOB / SR Type / Subtype	HVAC-Equipment / L&M / Custom Quote
Service Site	DUPONT EXPERIMENTAL STATION DUPONT EXPERIMENTAL

CONFIDENTIAL AND PROPRIETARY - FOR INTERNAL USE ONLY

Report Date 02/20/2017

Page 5 of 5

COGS - Cost of Goods Sold

COGS Labor

Date	Assigned Technician	Activity #	NxGen Row ID (Time Tracker)	Branch #	Labor Type/Cost Rate/Billing Product	Adjustment	Hours	Ext Amt	
							TOTAL - LABOR	0.00	\$0.00

COGS Expense

Date	Assigned Technician	Activity #	NxGen Row ID	Branch #	Expense Type	Adjustment	Qty.	Ext Amt	
								TOTAL - EXPENSE	\$0.00

COGS Material

Date	Vendor / Buy Site	Activity #	Adjustment	Order #	Type of Order	Product	Description	Qty.	UOM	Unit Cost	Ext Amt
										TOTAL - MATERIAL	\$0.00

COGS SubContract

Date	Vendor / Buy Site	Activity #	Adjustment	Order #	Type of Order	Product	Description	Qty.	Ext Amt	
									TOTAL - SUB CONTRACT	\$0.00

COGS Fee-Charges

Date	Accounting Event Name	Activity #	NxGen Row ID (Fee Tracker)	Product	Adjustment	Qty.	Ext Amt		
							TOTAL - FEE CHARGES	0.00	\$0.00

AR Invoices

Date	Invoice #	Related Invoice #	Revenue	Invoice / Credit Memo Sub - Total	Tax	Ext Amt	
			\$0.00	\$0.00	\$0.00	TOTAL - INVOICED	\$0.00

UnReceived Orders

Date	Vendor / Buy Site	Activity #	Order #	Type of Order	Product	Description	Var. Ord vs. Rec	Qty.	Ext Amt	
									TOTAL - UNRECEIVED ORDERS	\$0.00