

Variable Frequency Drives

VARIABLE FREQUENCY DRIVES - BASE DRIVE



Features:

- “OO” Configuration
- NEMA 1 Rated
- NEMA 1 Conduit Box
- 100,000 AIC Fault Current Rated



PART NUMBER	DESCRIPTION	VOLTS	HP	FRAME	ABB EQUIVALENT	MLP \$
027 03232 000	BASE DRIVE	230	1	R1	ACH550-UH-04A6-2	698.47
027 03233 000	BASE DRIVE	230	1.5	R1	ACH550-UH-06A6-2	820.97
027 03234 000	BASE DRIVE	230	2	R1	ACH550-UH-07A5-2	883.52
027 03235 000	BASE DRIVE	230	3	R1	ACH550-UH-012A-2	917.39
027 03236 000	BASE DRIVE	230	5	R1	ACH550-UH-017A-2	1011.23
027 03237 000	BASE DRIVE	230	7.5	R2	ACH550-UH-024A-2	1131.11
027 03238 000	BASE DRIVE	230	10	R2	ACH550-UH-031A-2	1188.46
027 03239 000	BASE DRIVE	230	15	R3	ACH550-UH-046A-2	1303.13
027 03240 000	BASE DRIVE	230	20	R3	ACH550-UH-059A-2	1423.01
027 03241 000	BASE DRIVE	230	25	R4	ACH550-UH-075A-2	1941.65
027 03242 000	BASE DRIVE	230	30	R4	ACH550-UH-088A-2	2171.01
027 03243 000	BASE DRIVE	230	40	R4	ACH550-UH-114A-2	2705.29
027 03244 000	BASE DRIVE	230	50	R6	ACH550-UH-143A-2	3799.92
027 03245 000	BASE DRIVE	230	60	R6	ACH550-UH-178A-2	4206.50
027 03246 000	BASE DRIVE	230	75	R6	ACH550-UH-221A-2	6580.80
027 03247 000	BASE DRIVE	230	100	R6	ACH550-UH-248A-2	10271.26
027 03332 000	BASE DRIVE	460	1	R1	ACH550-UH-03A3-4	893.95
027 03333 000	BASE DRIVE	460	1.5	R1	ACH550-UH-03A3-4	893.95
027 03334 000	BASE DRIVE	460	2	R1	ACH550-UH-04A1-4	940.85
027 03335 000	BASE DRIVE	460	3	R1	ACH550-UH-06A9-4	946.07
027 03336 000	BASE DRIVE	460	5	R1	ACH550-UH-08A8-4	823.17
027 03337 000	BASE DRIVE	460	7.5	R1	ACH550-UH-012A-4	823.79
027 03338 000	BASE DRIVE	460	10	R2	ACH550-UH-015A-4	1167.60
027 03339 000	BASE DRIVE	460	15	R2	ACH550-UH-023A-4	1308.34
027 03340 000	BASE DRIVE	460	20	R3	ACH550-UH-031A-4	1467.53
027 03341 000	BASE DRIVE	460	25	R3	ACH550-UH-038A-4	1912.99
027 03342 000	BASE DRIVE	460	30	R3	ACH550-UH-045A-4	2220.53
027 03343 000	BASE DRIVE	460	40	R4	ACH550-UH-059A-4	2361.26
027 03344 000	BASE DRIVE	460	50	R4	ACH550-UH-072A-4	3296.91
027 03345 000	BASE DRIVE	460	60	R4	ACH550-UH-078A-4	3677.43
027 03346 000	BASE DRIVE	460	75	R4	ACH550-UH-097A-4	4240.37
027 03347 000	BASE DRIVE	460	100	R5	ACH550-UH-125A-4	5680.23
027 03348 000	BASE DRIVE	460	125	R6	ACH550-UH-157A-4	7356.19
027 03349 000	BASE DRIVE	460	150	R6	ACH550-UH-180A-4	10498.00
027 03350 000	BASE DRIVE	460	200	R6	ACH550-UH-246A-4	20902.18
027 03351 000	BASE DRIVE	460	250	R8	ACH550-UH-316A-4	32877.94
027 03352 000	BASE DRIVE	460	300	R8	ACH550-UH-368A-4	39455.48
027 03353 000	BASE DRIVE	460	350	R8	ACH550-UH-414A-4	47127.66

VARIABLE FREQUENCY DRIVES

Variable Frequency Drives

VARIABLE FREQUENCY DRIVES

Variable Frequency Drives with Disconnect - Fused/Non-Fused

Features:

- "AO" Configuration
- NEMA 1 Rated
- Fused Main Disconnect with Pad Lockable Handle
- 100,000 AIC Fault Current Rated



PART NUMBER	DESCRIPTION	DISCONNECT	VOLTS	HP	FRAME	MLP \$
027 03435 000	VFD, 460V, 1HP, R1	FUSED	460	1	R1	1516.82
027 03436 000	VFD, 460V, 2HP, R1	FUSED	460	2	R1	1568.65
027 03437 000	VFD, 460V, 3HP, R1	FUSED	460	3	R1	1573.04
027 03438 000	VFD, 460V, 5HP, R1	FUSED	460	5	R1	1634.46
027 03439 000	VFD, 460V, 7.5HP, R1	FUSED	460	7.5	R1	1698.97
027 03440 000	VFD, 460V, 10HP, R2	FUSED	460	10	R2	1831.71
027 03441 000	VFD, 460V, 15HP, R2	FUSED	460	15	R2	2066.75
027 03442 000	VFD, 460V, 20HP, R3	FUSED	460	20	R3	2560.72
027 03443 000	VFD, 460V, 25HP, R3	FUSED	460	25	R3	2999.48
027 03444 000	VFD, 460V, 30HP, R3	FUSED	460	30	R3	3279.09
027 03445 000	VFD, 460V, 40HP, R4	FUSED	460	40	R4	3435.21
027 03446 000	VFD, 460V, 50HP, R4	FUSED	460	50	R4	4688.24
027 03447 000	VFD, 460V, 60HP, R4	FUSED	460	60	R4	5265.90
027 03448 000	VFD, 460V, 75HP, R4	FUSED	460	75	R4	5944.78
027 03449 000	VFD, 460V, 100HP, R5	FUSED	460	100	R5	8296.87
027 03450 000	VFD, 460V, 125HP, R6	FUSED	460	125	R6	10433.82
027 03451 000	VFD, 460V, 150HP, R6	FUSED	460	150	R6	12526.60
027 03317 000	VFD, 230V, 1HP, R1	FUSED	230	1	R1	1330.98
027 03318 000	VFD, 230V, 1.5HP, R1	FUSED	230	1.5	R1	1520.75
027 03319 000	VFD, 230V, 2HP, R1	FUSED	230	2	R1	1562.00
027 03320 000	VFD, 230V, 3HP, R1	FUSED	230	3	R1	1640.58
027 03321 000	VFD, 230V, 5HP, R1	FUSED	230	5	R1	1665.96
027 03322 000	VFD, 230V, 7.5HP, R2	FUSED	230	7.5	R2	1845.88
027 03323 000	VFD, 230V, 10HP, R2	FUSED	230	10	R2	1910.47
027 03324 000	VFD, 230V, 15HP, R3	FUSED	230	15	R3	2502.38
027 03325 000	VFD, 230V, 20HP, R3	FUSED	230	20	R3	2750.13
027 03326 000	VFD, 230V, 25HP, R4	FUSED	230	25	R4	3652.48
027 03327 000	VFD, 230V, 30HP, R4	FUSED	230	30	R4	3915.27
027 03328 000	VFD, 230V, 40HP, R4	FUSED	230	40	R4	4500.04
027 03329 000	VFD, 230V, 50HP, R6	FUSED	230	50	R6	6181.47
027 03330 000	VFD, 230V, 60HP, R6	FUSED	230	60	R6	6669.86
027 03331 000	VFD, 230V, 75HP, R6	FUSED	230	75	R6	9522.37
027 03302 000	VFD, 230V, 1HP, R1	NON-FUSED	230	1	R1	1251.95
027 03303 000	VFD, 230V, 1.5HP, R1	NON-FUSED	230	1.5	R1	1460.65
027 03304 000	VFD, 230V, 2HP, R1	NON-FUSED	230	2	R1	1496.65
027 03305 000	VFD, 230V, 3HP, R1	NON-FUSED	230	3	R1	1555.26
027 03306 000	VFD, 230V, 5HP, R1	NON-FUSED	230	5	R1	1604.75
027 03307 000	VFD, 230V, 7.5HP, R2	NON-FUSED	230	7.5	R2	1742.00
027 03308 000	VFD, 230V, 10HP, R2	NON-FUSED	230	10	R2	1809.14
027 03309 000	VFD, 230V, 15HP, R3	NON-FUSED	230	15	R3	2221.59
027 03310 000	VFD, 230V, 20HP, R3	NON-FUSED	230	20	R3	2347.75
027 03311 000	VFD, 230V, 25HP, R4	NON-FUSED	230	25	R4	2938.83
027 03312 000	VFD, 230V, 30HP, R4	NON-FUSED	230	30	R4	3204.79
027 03313 000	VFD, 230V, 40HP, R4	NON-FUSED	230	40	R4	3932.46
027 03314 000	VFD, 230V, 50HP, R6	NON-FUSED	230	50	R6	5373.96
027 03315 000	VFD, 230V, 60HP, R6	NON-FUSED	230	60	R6	5932.86
027 03316 000	VFD, 230V, 75HP, R6	NON-FUSED	230	75	R6	8567.11
027 03418 000	VFD, 460V, 1HP, R1	NON-FUSED	460	1	R1	1468.20
027 03419 000	VFD, 460V, 2HP, R1	NON-FUSED	460	2	R1	1515.38
027 03420 000	VFD, 460V, 3HP, R1	NON-FUSED	460	3	R1	1523.68
027 03421 000	VFD, 460V, 5HP, R1	NON-FUSED	460	5	R1	1586.90
027 03422 000	VFD, 460V, 7.5HP, R1	NON-FUSED	460	7.5	R1	1654.11
027 03423 000	VFD, 460V, 10HP, R2	NON-FUSED	460	10	R2	1781.60
027 03424 000	VFD, 460V, 15HP, R2	NON-FUSED	460	15	R2	1925.80
027 03425 000	VFD, 460V, 20HP, R3	NON-FUSED	460	20	R3	2430.77
027 03426 000	VFD, 460V, 25HP, R3	NON-FUSED	460	25	R3	2863.53
027 03427 000	VFD, 460V, 30HP, R3	NON-FUSED	460	30	R3	3018.08
027 03428 000	VFD, 460V, 40HP, R4	NON-FUSED	460	40	R4	3174.27
027 03429 000	VFD, 460V, 50HP, R4	NON-FUSED	460	50	R4	4427.62
027 03430 000	VFD, 460V, 60HP, R4	NON-FUSED	460	60	R4	4803.12
027 03431 000	VFD, 460V, 75HP, R4	NON-FUSED	460	75	R4	5638.03
027 03432 000	VFD, 460V, 100HP, R5	NON-FUSED	460	100	R5	8049.15
027 03433 000	VFD, 460V, 125HP, R6	NON-FUSED	460	125	R6	10119.91
027 03434 000	VFD, 460V, 150HP, R6	NON-FUSED	460	150	R6	12149.91

For technical assistance with Variable Frequency Drives please call (800) 545-7814.

Variable Frequency Drives

VARIABLE FREQUENCY DRIVES

Variable Frequency Drives with Disconnect, Bypass and Service Switch

Features:

- “CM” Configuration
- NEMA 1 Rated
- Main Fused Disconnect Switch with Pad Lockable Handle
- VFD Input Service Disconnect Switch for Isolation During Repair
- 2 Contactor ByPass
- Class 20 Motor Overload
- Control Transformer
- VFD/Off/ByPass Selector
- Power On/Bypass On Pilot Light
- 100,000 AIC Fault Current Rated



PART NUMBER	DESCRIPTION	DISCONNECT	BYPASS	SERVICE SWITCH	VOLTS	HP	FRAME	MLP \$
027 03386 000	VFD, 460V, 1HP, R1	FUSED	X		460	1	R1	2668.78
027 03387 000	VFD, 460V, 2HP, R1	FUSED	X		460	2	R1	2788.70
027 03388 000	VFD, 460V, 3HP, R1	FUSED	X		460	3	R1	2790.79
027 03389 000	VFD, 460V, 5HP, R1	FUSED	X		460	5	R1	2849.65
027 03390 000	VFD, 460V, 7.5HP, R1	FUSED	X		460	7.5	R1	2929.13
027 03391 000	VFD, 460V, 10HP, R2	FUSED	X		460	10	R2	3117.67
027 03392 000	VFD, 460V, 15HP, R2	FUSED	X		460	15	R2	3361.61
027 03393 000	VFD, 460V, 20HP, R3	FUSED	X		460	20	R3	3679.30
027 03394 000	VFD, 460V, 25HP, R3	FUSED	X		460	25	R3	4105.54
027 03395 000	VFD, 460V, 30HP, R3	FUSED	X		460	30	R3	4995.61
027 03396 000	VFD, 460V, 40HP, R4	FUSED	X		460	40	R4	5300.74
027 03397 000	VFD, 460V, 50HP, R4	FUSED	X		460	50	R4	6456.12
027 03398 000	VFD, 460V, 60HP, R4	FUSED	X		460	60	R4	7381.67
027 03399 000	VFD, 460V, 75HP, R4	FUSED	X		460	75	R4	8373.64
027 03400 000	VFD, 460V, 100HP, R5	FUSED	X		460	100	R5	10781.67
027 03275 000	VFD, 230V, 1HP, R1	FUSED	X		230	1	R1	2493.74
027 03276 000	VFD, 230V, 1.5HP, R1	FUSED	X		230	1.5	R1	2711.13
027 03277 000	VFD, 230V, 2HP, R1	FUSED	X		230	2	R1	2760.30
027 03278 000	VFD, 230V, 3HP, R1	FUSED	X		230	3	R1	2808.11
027 03279 000	VFD, 230V, 5HP, R1	FUSED	X		230	5	R1	2892.76
027 03280 000	VFD, 230V, 7.5HP, R2	FUSED	X		230	7.5	R2	3114.31
027 03281 000	VFD, 230V, 10HP, R2	FUSED	X		230	10	R2	3260.84
027 03282 000	VFD, 230V, 15HP, R3	FUSED	X		230	15	R3	3634.10
027 03283 000	VFD, 230V, 20HP, R3	FUSED	X		230	20	R3	3769.47
027 03284 000	VFD, 230V, 25HP, R4	FUSED	X		230	25	R4	5309.24
027 03285 000	VFD, 230V, 30HP, R4	FUSED	X		230	30	R4	5937.16
027 03286 000	VFD, 230V, 40HP, R4	FUSED	X		230	40	R4	6738.89
027 03401 000	VFD, 460V, 1HP, R1	FUSED	X	X	460	1	R1	2772.92
027 03402 000	VFD, 460V, 2HP, R1	FUSED	X	X	460	2	R1	2892.86
027 03403 000	VFD, 460V, 3HP, R1	FUSED	X	X	460	3	R1	2894.94
027 03404 000	VFD, 460V, 5HP, R1	FUSED	X	X	460	5	R1	2953.80
027 03405 000	VFD, 460V, 7.5HP, R1	FUSED	X	X	460	7.5	R1	3033.29
027 03406 000	VFD, 460V, 10HP, R2	FUSED	X	X	460	10	R2	3221.82
027 03407 000	VFD, 460V, 15HP, R2	FUSED	X	X	460	15	R2	3465.77
027 03408 000	VFD, 460V, 20HP, R3	FUSED	X	X	460	20	R3	3791.16
027 03409 000	VFD, 460V, 25HP, R3	FUSED	X	X	460	25	R3	4217.42
027 03410 000	VFD, 460V, 30HP, R3	FUSED	X	X	460	30	R3	5107.50
027 03411 000	VFD, 460V, 40HP, R4	FUSED	X	X	460	40	R4	5419.34
027 03412 000	VFD, 460V, 50HP, R4	FUSED	X	X	460	50	R4	6574.74
027 03413 000	VFD, 460V, 60HP, R4	FUSED	X	X	460	60	R4	7500.29
027 03414 000	VFD, 460V, 75HP, R4	FUSED	X	X	460	75	R4	8492.26
027 03415 000	VFD, 460V, 100HP, R5	FUSED	X	X	460	100	R5	11108.77
027 03416 000	VFD, 460V, 125HP, R6	FUSED	X	X	460	125	R6	13845.22
027 03417 000	VFD, 460V, 150HP, R6	FUSED	X	X	460	150	R6	16310.16
027 03287 000	VFD, 230V, 1HP, R1	FUSED	X	X	230	1	R1	2597.90
027 03288 000	VFD, 230V, 1.5HP, R1	FUSED	X	X	230	1.5	R1	2815.28
027 03289 000	VFD, 230V, 2HP, R1	FUSED	X	X	230	2	R1	2864.45
027 03290 000	VFD, 230V, 3HP, R1	FUSED	X	X	230	3	R1	2912.27
027 03291 000	VFD, 230V, 5HP, R1	FUSED	X	X	230	5	R1	2996.91
027 03292 000	VFD, 230V, 7.5HP, R2	FUSED	X	X	230	7.5	R2	3218.47
027 03293 000	VFD, 230V, 10HP, R2	FUSED	X	X	230	10	R2	3365.00
027 03294 000	VFD, 230V, 15HP, R3	FUSED	X	X	230	15	R3	3745.97
027 03295 000	VFD, 230V, 20HP, R3	FUSED	X	X	230	20	R3	3881.33
027 03296 000	VFD, 230V, 25HP, R4	FUSED	X	X	230	25	R4	5427.86
027 03297 000	VFD, 230V, 30HP, R4	FUSED	X	X	230	30	R4	6055.77
027 03298 000	VFD, 230V, 40HP, R4	FUSED	X	X	230	40	R4	6857.52
027 03299 000	VFD, 230V, 50HP, R6	FUSED	X	X	230	50	R6	12813.02
027 03300 000	VFD, 230V, 60HP, R6	FUSED	X	X	230	60	R6	14129.26
027 03301 000	VFD, 230V, 75HP, R6	FUSED	X	X	230	75	R6	17112.04

For technical assistance with Variable Frequency Drives please call (800) 545-7814.

VARIABLE FREQUENCY DRIVES

Variable Frequency Drives

VARIABLE FREQUENCY DRIVES

Variable Frequency Drives with Disconnect, Bypass and Service Switch (cont.)

PART NUMBER	DESCRIPTION	DISCONNECT	BYPASS	SERVICE SWITCH	VOLTS	HP	FRAME	MLP \$
027 03354 000	VFD, 460V, 1HP, R1	NON-FUSED	X		460	1	R1	2595.91
027 03355 000	VFD, 460V, 2HP, R1	NON-FUSED	X		460	2	R1	2712.24
027 03356 000	VFD, 460V, 3HP, R1	NON-FUSED	X		460	3	R1	2720.95
027 03357 000	VFD, 460V, 5HP, R1	NON-FUSED	X		460	5	R1	2776.35
027 03358 000	VFD, 460V, 7.5HP, R1	NON-FUSED	X		460	7.5	R1	2897.84
027 03359 000	VFD, 460V, 10HP, R2	NON-FUSED	X		460	10	R2	3040.23
027 03360 000	VFD, 460V, 15HP, R2	NON-FUSED	X		460	15	R2	3207.20
027 03361 000	VFD, 460V, 20HP, R3	NON-FUSED	X		460	20	R3	3529.67
027 03362 000	VFD, 460V, 25HP, R3	NON-FUSED	X		460	25	R3	3952.19
027 03363 000	VFD, 460V, 30HP, R3	NON-FUSED	X		460	30	R3	4637.94
027 03364 000	VFD, 460V, 40HP, R4	NON-FUSED	X		460	40	R4	4943.07
027 03365 000	VFD, 460V, 50HP, R4	NON-FUSED	X		460	50	R4	6098.44
027 03366 000	VFD, 460V, 60HP, R4	NON-FUSED	X		460	60	R4	6695.90
027 03367 000	VFD, 460V, 75HP, R4	NON-FUSED	X		460	75	R4	7918.20
027 03368 000	VFD, 460V, 100HP, R5	NON-FUSED	X		460	100	R5	10391.77
027 03248 000	VFD, 230V, 1HP, R1	NON-FUSED	X		230	1	R1	2424.24
027 03249 000	VFD, 230V, 1.5HP, R1	NON-FUSED	X		230	1.5	R1	2617.41
027 03250 000	VFD, 230V, 2HP, R1	NON-FUSED	X		230	2	R1	2699.34
027 03251 000	VFD, 230V, 3HP, R1	NON-FUSED	X		230	3	R1	2745.54
027 03252 000	VFD, 230V, 5HP, R1	NON-FUSED	X		230	5	R1	2855.09
027 03253 000	VFD, 230V, 7.5HP, R2	NON-FUSED	X		230	7.5	R2	2994.76
027 03254 000	VFD, 230V, 10HP, R2	NON-FUSED	X		230	10	R2	3144.29
027 03255 000	VFD, 230V, 15HP, R3	NON-FUSED	X		230	15	R3	3289.98
027 03256 000	VFD, 230V, 20HP, R3	NON-FUSED	X		230	20	R3	3445.08
027 03257 000	VFD, 230V, 25HP, R4	NON-FUSED	X		230	25	R4	4517.47
027 03258 000	VFD, 230V, 30HP, R4	NON-FUSED	X		230	30	R4	5144.49
027 03259 000	VFD, 230V, 40HP, R4	NON-FUSED	X		230	40	R4	6168.56
027 03369 000	VFD, 460V, 1HP, R1	NON-FUSED	X	X	460	1	R1	2700.06
027 03370 000	VFD, 460V, 2HP, R1	NON-FUSED	X	X	460	2	R1	2816.40
027 03371 000	VFD, 460V, 3HP, R1	NON-FUSED	X	X	460	3	R1	2825.10
027 03372 000	VFD, 460V, 5HP, R1	NON-FUSED	X	X	460	5	R1	2880.50
027 03373 000	VFD, 460V, 7.5HP, R1	NON-FUSED	X	X	460	7.5	R1	3001.99
027 03374 000	VFD, 460V, 10HP, R2	NON-FUSED	X	X	460	10	R2	3144.39
027 03375 000	VFD, 460V, 15HP, R2	NON-FUSED	X	X	460	15	R2	3311.35
027 03376 000	VFD, 460V, 20HP, R3	NON-FUSED	X	X	460	20	R3	3641.53
027 03377 000	VFD, 460V, 25HP, R3	NON-FUSED	X	X	460	25	R3	4064.08
027 03378 000	VFD, 460V, 30HP, R3	NON-FUSED	X	X	460	30	R3	4749.82
027 03379 000	VFD, 460V, 40HP, R4	NON-FUSED	X	X	460	40	R4	5061.67
027 03380 000	VFD, 460V, 50HP, R4	NON-FUSED	X	X	460	50	R4	6217.06
027 03381 000	VFD, 460V, 60HP, R4	NON-FUSED	X	X	460	60	R4	6814.51
027 03382 000	VFD, 460V, 75HP, R4	NON-FUSED	X	X	460	75	R4	8036.82
027 03383 000	VFD, 460V, 100HP, R5	NON-FUSED	X	X	460	100	R5	10718.88
027 03384 000	VFD, 460V, 125HP, R6	NON-FUSED	X	X	460	125	R6	13452.32
027 03385 000	VFD, 460V, 150HP, R6	NON-FUSED	X	X	460	150	R6	15917.26
027 03260 000	VFD, 230V, 1HP, R1	NON-FUSED	X	X	230	1	R1	2528.39
027 03261 000	VFD, 230V, 1.5HP, R1	NON-FUSED	X	X	230	1.5	R1	2721.56
027 03262 000	VFD, 230V, 2HP, R1	NON-FUSED	X	X	230	2	R1	2803.49
027 03263 000	VFD, 230V, 3HP, R1	NON-FUSED	X	X	230	3	R1	2849.69
027 03264 000	VFD, 230V, 5HP, R1	NON-FUSED	X	X	230	5	R1	2959.24
027 03265 000	VFD, 230V, 7.5HP, R2	NON-FUSED	X	X	230	7.5	R2	3098.91
027 03266 000	VFD, 230V, 10HP, R2	NON-FUSED	X	X	230	10	R2	3248.45
027 03267 000	VFD, 230V, 15HP, R3	NON-FUSED	X	X	230	15	R3	3401.85
027 03268 000	VFD, 230V, 20HP, R3	NON-FUSED	X	X	230	20	R3	3556.96
027 03269 000	VFD, 230V, 25HP, R4	NON-FUSED	X	X	230	25	R4	4636.07
027 03270 000	VFD, 230V, 30HP, R4	NON-FUSED	X	X	230	30	R4	5263.12
027 03271 000	VFD, 230V, 40HP, R4	NON-FUSED	X	X	230	40	R4	6287.17
027 03272 000	VFD, 230V, 50HP, R6	NON-FUSED	X	X	230	50	R6	8149.26
027 03273 000	VFD, 230V, 60HP, R6	NON-FUSED	X	X	230	60	R6	9004.84
027 03274 000	VFD, 230V, 75HP, R6	NON-FUSED	X	X	230	75	R6	13037.37

For technical assistance with Variable Frequency Drives please call (800) 545-7814.