



**UNITED
TECHNOLOGIES
CARRIER**

Commercial Division
Carrier Corporation

BULLETIN: CA-SB-17-83-33
DATE: 10/26/83
PAGE: 1 OF: 1

SERVICE BULLETIN

SUBJECT: 17 SERIES COMPRESSOR AUTOMATIC
SUCTION DAMPER ASSEMBLY

SUPERSEDE
BULLETIN:
DATE:
PAGE: OF:

Installation, repair and service and equipment referenced in this Service Bulletin should be undertaken only by qualified persons. Carrier Corporation (1) makes no representations or warranties, expressed or implied, concerning the accuracy, completeness or right to use the information contained herein, and (2) disclaims all liability for injuries, damages, infringements and other losses which may arise on account of, or which may result from, the use or application of any information, method or apparatus disclosed herein.

PURPOSE

To advise of an unusual suction damper configuration that may be encountered.

MACHINES AFFECTED

17M,P,S 30 compressors

BACKGROUND

On certain machine selections a 30 compressor was mated to a cooler with a "40" size (18 in.) suction connection. The suction damper frame used was designed to make the transition between the two different size connections.

This damper assembly can easily be identified. The flange that connects the damper to the compressor has 13 bolts and the flange that connects the damper to the cooler has 17 bolts.

INFORMATION

Neither the current 17Q4-708-10 nor the 17Q6-708-11 damper assemblies can be substituted. If an entire suction damper assembly is needed, a special order assembly must be quoted through the Replacement Components Division.