

Digits (5): Size of the unit

Code	Size
B	03
C	06
D	08
F	10
G	12
H	14
J	17
K	21
L	25
M	30
N	36
P	40
Q	50
R	61
S	70
T	80
V	00

Digits (6): Fan Type (AF, BI, FC, PF), wheel size (Standard, small, 75%, 1), and Application

Code	Fan Type	Application	Supplier
B	AF – Airfoil	Supply	HB
C	AF	Supply	HB
D	BI – Backward Inclined	Supply	HB
F	BI	Supply	HB
G	FC – Forward Curved	Supply	LAU
H	FC	Supply	LAU
J	PF – Plenum Fan	Supply	HB
K	PF	Supply	HB
L	AF	Return / Exhaust	
M	AF	Return / Exhaust	HB
N	BI	Return / Exhaust	
P	BI	Return / Exhaust	HB
Q	FC	Return / Exhaust	LAU
R	FC	Return / Exhaust	LAU
S	PF	Return / Exhaust	
T	PF	Return / Exhaust	HB
1	AF	Supply	MV
2	AF	Return / Exhaust	MV
3	PF	Supply	MV
4	PF	Return / Exhaust	MV
5	AF	Supply	MV
6	AF	Supply	MV

Digits (7): Discharge

Digits (9): Rotor Options (Wheel Class, Bearing L50, Wheel Weld Type, Upgrade Capability)

The next column in the Part Number tables is the fan sled manufacturer.

HB = Howden Buffalo

MV = Mechanovent

LAU = Lau

The remaining columns list the bearings, shaft, blower wheel and inlet bell part number.

Distributor Action:

For the case of parts labeled as “Howden / Buffalo”, the original manufacturer part numbers for shafts, blower wheels, and inlet bells are NOT available, and not included in this bulletin. For these parts, use the following:

- (1) Shafts – remove the shaft, have a replacement manufactured locally
- (2) Bearings – manufacturers’ part numbers are given. Alternatively, remove the current bearing, bring to a local bearing supply house, and match the bearing
- (3) Wheel and inlet cone - (2) Options are available:

Repair Wheel &/or inlet cone by Barron Fan (www.Barronfan.com)

or

replace sled with current design (field modifications of the fan section will be required.)

Parts/Kits:

Tables below list the parts needed.

Size 03

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
B	B	D, F, G, H, J, K	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	B	D, F, G, H, J, K	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	B	D, F, G, H, J, K	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	B	B, C	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	B	B, C	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	B	B, C	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	C	D, F, G, H, J, K	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	C	D, F, G, H, J, K	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	C	D, F, G, H, J, K	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	C	B, C	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	C	B, C	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	C	B, C	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	D	D, F, G, H, J, K	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			Call RCD Technical Support
B	D	D, F, G, H, J, K	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	D	D, F, G, H, J, K	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	D	B, C	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	D	B, C	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	D	B, C	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	F	D, F, G, H, J, K	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	F	D, F, G, H, J, K	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	F	D, F, G, H, J, K	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	F	B, C	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	F	B, C	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	F	B, C	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	G	B, C, D, F, G, H, J, K	B	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	G	B, C, D, F, G, H, J, K	C, G	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	G	B, C, D, F, G, H, J, K	F, J	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	H	B, C, D, F, G, H, J, K	B	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	H	B, C, D, F, G, H, J, K	C, G	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	H	B, C, D, F, G, H, J, K	F, J	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	J	L	B	N/A	N/A	N/A	N/A	N/A	N/A
B	J	L	C, G	N/A	N/A	N/A	N/A	N/A	N/A
B	J	L	F, J	N/A	N/A	N/A	N/A	N/A	N/A
B	K	L	B	N/A	N/A	N/A	N/A	N/A	N/A
B	K	L	C, G	N/A	N/A	N/A	N/A	N/A	N/A
B	K	L	F, J	N/A	N/A	N/A	N/A	N/A	N/A
B	M	G, H, J, K	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	M	G, H, J, K	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	M	G, H, J, K	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	M	C	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	M	C	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	M	C	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	P	G, H, J, K	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			Call RCD Technical Support
B	P	G, H, J, K	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	P	G, H, J, K	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	P	C	B	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	P	C	C, G	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	P	C	F, J	HB	SKF SY-1-TF/AH	SKF SY-1-TF/AH			
B	R	C, G, H, J, K	B	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	R	C, G, H, J, K	C, G	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	R	C, G, H, J, K	F, J	LAU	02437266	02437266	01223601X	89M00826734	N/A
B	T	L	B	N/A	N/A	N/A	N/A	N/A	N/A
B	T	L	C, G	N/A	N/A	N/A	N/A	N/A	N/A
B	T	L	F, J	N/A	N/A	N/A	N/A	N/A	N/A
B	1	B, C, D, F, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
B	1	B, C, D, F, G, H, J, K	C, G	MV	91-0002	91-0002	76M7998	78-1540	76-9798
B	1	B, C, D, F, G, H, J, K	F, J	MV	91-0002	91-0002	76M7998	78-1540	76-9798
B	2	C, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
B	2	C, G, H, J, K	C, G	MV	91-0002	91-0002	76M7998	78-1540	76-9798
B	2	C, G, H, J, K	F, J	MV	91-0002	91-0002	76M7998	78-1540	76-9798
B	3	L	B	MV	91-0002	91-0002	77-0296	78-1520	93-0004
B	3	L	C, G	MV	91-0004	91-0004	77-0346	78-1521	93-0004
B	3	L	F, J	MV	91-0004	91-0004	77-0346	78-1521	93-0004
B	4	L	B	MV	91-0002	91-0002	77-0296	78-1520	93-0004
B	4	L	C, G	MV	91-0004	91-0004	77-0346	78-1521	93-0004
B	4	L	F, J	MV	91-0004	91-0004	77-0346	78-1521	93-0004

Size 06

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
C	B	D, F, G, H, J, K	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	B	D, F, G, H, J, K	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	B	D, F, G, H, J, K	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	B	B, C	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	B	B, C	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	B	B, C	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	C	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
C	C	D, F, G, H, J, K	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
C	C	D, F, G, H, J, K	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
C	C	B, C	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	C	B, C	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	C	B, C	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	D	D, F, G, H, J, K	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	D	D, F, G, H, J, K	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	D	D, F, G, H, J, K	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	D	B, C	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	D	B, C	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	D	B, C	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	F	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
C	F	D, F, G, H, J, K	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
C	F	D, F, G, H, J, K	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
C	F	B, C	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	F	B, C	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	F	B, C	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	G	B, C, D, F, G, H, J, K	B	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	G	B, C, D, F, G, H, J, K	C, G	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	G	B, C, D, F, G, H, J, K	F, J	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	H	B, C, D, F, G, H, J, K	B	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	H	B, C, D, F, G, H, J, K	C, G	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	H	B, C, D, F, G, H, J, K	F, J	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	J	L	B	HB	RSAO 1.1875	RSAO 1.1875			
C	J	L	C, G	HB	RSAO 1.1875	RSAO 1.1875			
C	J	L	F, J	HB	RSAO 1.4375	RSAO 1.4375			
C	K	L	B	HB	RSAO 1.1875	RSAO 1.1875			
C	K	L	C, G	HB	RSAO 1.1875	RSAO 1.1875			
C	K	L	F, J	HB	RSAO 1.4375	RSAO 1.4375			
C	M	G, H, J, K	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	M	G, H, J, K	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	M	G, H, J, K	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	M	C	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	M	C	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	M	C	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	P	G, H, J, K	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	P	G, H, J, K	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	P	G, H, J, K	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	P	C	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	P	C	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	P	C	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
C	R	C, G, H, J, K	B	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	R	C, G, H, J, K	C, G	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	R	C, G, H, J, K	F, J	LAU	02437266	02437266	00836188X	39M01557596	N/A
C	T	L	B	HB	RSAO 1.1875	RSAO 1.1875			
C	T	L	C, G	HB	RSAO 1.1875	RSAO 1.1875			
C	T	L	F, J	HB	RSAO 1.4375	RSAO 1.4375			
C	1	B, C, D, F, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
C	1	B, C, D, F, G, H, J, K	C, G	MV	91-0005	91-0005	76M8002	78-1541	76-9799
C	1	B, C, D, F, G, H, J, K	F, J	MV	91-0005	91-0005	76M8002	78-1541	76-9799
C	2	C, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
C	2	C, G, H, J, K	C, G	MV	91-0005	91-0005	76M8002	78-1541	76-9799
C	2	C, G, H, J, K	F, J	MV	91-0005	91-0005	76M8002	78-1541	76-9799
C	3	L	B	MV	91-0002	91-0002	77-0486	78-1520	93-0005
C	3	L	C, G	MV	91-0004	91-0004	77-0298	78-1521	93-0005
C	3	L	F, J	MV	91-0004	91-0004	77-0298	78-1521	93-0005
C	4	L	B	MV	91-0002	91-0002	77-0486	78-1520	93-0005
C	4	L	C, G	MV	91-0004	91-0004	77-0298	78-1521	93-0005
C	4	L	F, J	MV	91-0004	91-0004	77-0298	78-1521	93-0005

Contact RCD Technical Support

Contact RCD Technical Support

Contact RCD Technical Support

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
D	B	D, F, G, H, J, K	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	B	D, F, G, H, J, K	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	B	D, F, G, H, J, K	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	B	B, C	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	B	B, C	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	B	B, C	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	C	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	C	D, F, G, H, J, K	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	C	D, F, G, H, J, K	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	C	B, C	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	C	B, C	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	C	B, C	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	D	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	D	D, F, G, H, J, K	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	D	D, F, G, H, J, K	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	D	B, C	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	D	B, C	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	D	B, C	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	D	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	D	D, F, G, H, J, K	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	D	D, F, G, H, J, K	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	D	B, C	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	D	B, C	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	D	B, C	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	F	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	F	D, F, G, H, J, K	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	F	D, F, G, H, J, K	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	F	B, C	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	F	B, C	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	F	B, C	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	G	B, C, D, F, G, H, J, K	B	LAU	02437267	02437267	00836124X	39M02090613	N/A
D	G	B, C, D, F, G, H, J, K	C, G	LAU	02437267	02437267	00836124X	39M02090613	N/A
D	G	B, C, D, F, G, H, J, K	F, J	LAU	02437267	02437267	00836124X	39M02090613	N/A
D	H	B, C, D, F, G, H, J, K	B	LAU	02437266	02437266	00840328X	39M02090614	N/A
D	H	B, C, D, F, G, H, J, K	C, G	LAU	02437266	02437266	00840328X	39M02090614	N/A
D	H	B, C, D, F, G, H, J, K	F, J	LAU	02437266	02437266	00840328X	39M02090614	N/A
D	J	L	B	HB	RSAO 1.1875	RSAO 1.1875			
D	J	L	C, G	HB	RSAO 1.1875	RSAO 1.1875			
D	J	L	F, J	HB	RSAO 1.4375	RSAO 1.4375			
D	K	L	B	HB	RSAO 1.1875	RSAO 1.1875			
D	K	L	C, G	HB	RSAO 1.1875	RSAO 1.1875			
D	K	L	F, J	HB	RSAO 1.4375	RSAO 1.4375			
D	M	G, H, J, K	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	M	G, H, J, K	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	M	G, H, J, K	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	M	C	B	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	M	C	C, G	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	M	C	F, J	HB	SKF SY-1.125 TF	SKF SY-1.125 TF			
D	P	G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	P	G, H, J, K	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	P	G, H, J, K	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	P	C	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
D	P	C	C, G	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	P	C	F, J	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
D	R	C, G, H, J, K	B	LAU	02437266	02437266	00840328X	39M02090614	N/A
D	R	C, G, H, J, K	C, G	LAU	02437266	02437266	00840328X	39M02090614	N/A
D	R	C, G, H, J, K	F, J	LAU	02437266	02437266	00840328X	39M02090614	N/A
D	T	L	B	HB	RSAO 1.1875	RSAO 1.1875			
D	T	L	C, G	HB	RSAO 1.1875	RSAO 1.1875			
D	T	L	F, J	HB	RSAO 1.4375	RSAO 1.4375			
D	1	B, C, D, F, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
D	1	B, C, D, F, G, H, J, K	C, G	MV	91-0007	91-0007	76M8006	78-1542	76M9800
D	1	B, C, D, F, G, H, J, K	F, J	MV	91-0007	91-0007	76M8006	78-1542	76M9800
D	2	C, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
D	2	C, G, H, J, K	C, G	MV	91-0007	91-0007	76M8006	78-1542	76M9800
D	2	C, G, H, J, K	F, J	MV	91-0007	91-0007	76M8006	78-1542	76M9800
D	3	L	B	MV	91-0002	91-0002	57-2308	78-1405	93-6005
D	3	L	C, G	MV	91-0002	91-0002	57-2308	78-1405	93-6005
D	3	L	F, J	MV	91-0310	91-0002	57-2308	78-1405	93-6005
D	4	L	B	MV	91-0002	91-0002	57-2308	78-1405	93-6005
D	4	L	C, G	MV	91-0002	91-0002	57-2308	78-1405	93-6005
D	4	L	F, J	MV	91-0310	91-0002	57-2308	78-1405	93-6005

Contact RCD Technical Support

Contact RCD Technical Support

Contact RCD Technical Support

Size 10

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive	Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
F	B	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	B	D, F, G, H, J, K	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	B	D, F, G, H, J, K	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	B	B, C	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	B	B, C	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	B	B, C	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	C	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	C	D, F, G, H, J, K	C, G	HB	SKF SY-1.6875 TF		SKF SY-1.6875 TF			
F	C	D, F, G, H, J, K	F, J	HB	SKF SY-1.6875 TF		SKF SY-1.6875 TF			
F	C	B, C	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	C	B, C	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	C	B, C	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	D	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			Contact RCD Technical Support
F	D	D, F, G, H, J, K	C, G	HB	SKF SY-1.6875 TF		SKF SY-1.6875 TF			
F	D	D, F, G, H, J, K	F, J	HB	SKF SY-1.6875 TF		SKF SY-1.6875 TF			
F	D	B, C	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	D	B, C	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	D	B, C	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	D	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	D	D, F, G, H, J, K	C, G	HB	SKF SY-1.6875 TF		SKF SY-1.6875 TF			
F	D	D, F, G, H, J, K	F, J	HB	SKF SY-1.6875 TF		SKF SY-1.6875 TF			
F	F	D, F, G, H, J, K	C, G	HB	SKF SY-1.6875 TF		SKF SY-1.6875 TF			
F	F	D, F, G, H, J, K	F, J	HB	SKF SY-1.6875 TF		SKF SY-1.6875 TF			
F	F	B, C	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	F	B, C	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	F	B, C	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	G	B, C, D, F, G, H, J, K	B	LAU	02437267		02437267	00840393X	39M02090615	N/A
F	G	B, C, D, F, G, H, J, K	C, G	LAU	02437267		02437267	00840393X	39M02090615	N/A
F	G	B, C, D, F, G, H, J, K	F, J	LAU	02437267		02437267	00840393X	39M02090615	N/A
F	H	B, C, D, F, G, H, J, K	B	LAU	02437267		02437267	00827661X	39M02090616	N/A
F	H	B, C, D, F, G, H, J, K	C, G	LAU	02437267		02437267	00827661X	39M02090616	N/A
F	H	B, C, D, F, G, H, J, K	F, J	LAU	02437267		02437267	00827661X	39M02090616	N/A
F	J	L	B	HB	RSAO 1.1875		RSAO 1.1875			
F	J	L	C, G	HB	RSAO 1.4375		RSAO 1.4375			
F	J	L	F, J	HB	RSAO 1.6875		RSAO 1.6875			
F	K	L	B	HB	RSAO 1.1875		RSAO 1.1875			
F	K	L	C, G	HB	RSAO 1.4375		RSAO 1.4375			
F	K	L	F, J	HB	RSAO 1.6875		RSAO 1.6875			
F	M	G, H, J, K	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	M	G, H, J, K	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	M	G, H, J, K	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			Contact RCD Technical Support
F	M	C	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	M	C	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	M	C	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	P	G, H, J, K	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	P	G, H, J, K	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	P	G, H, J, K	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	P	C	B	HB	SKF SY-1.375 TF		SKF SY-1.375 TF			
F	P	C	C, G	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	P	C	F, J	HB	SKF SY-1.625 TF		SKF SY-1.625 TF			
F	R	C, G, H, J, K	B	LAU	02437267		02437267	00827661X	39M02090616	N/A
F	R	C, G, H, J, K	C, G	LAU	02437267		02437267	00827661X	39M02090616	N/A
F	R	C, G, H, J, K	F, J	LAU	02437267		02437267	00827661X	39M02090616	N/A
F	T	L	B	HB	RSAO 1.1875		RSAO 1.1875			
F	T	L	C, G	HB	RSAO 1.4375		RSAO 1.4375			Contact RCD Technical Support
F	T	L	F, J	HB	RSAO 1.6875		RSAO 1.6875			
F	1	B, C, D, F, G, H, J, K	B	N/A	N/A		N/A	N/A	N/A	N/A
F	1	B, C, D, F, G, H, J, K	C, G	MV	91-0007		91-0007	76M8006	78-1542	76M9800
F	1	B, C, D, F, G, H, J, K	F, J	MV	91-0007		91-0007	76M8006	78-1542	76M9800
F	2	C, G, H, J, K	B	N/A	N/A		N/A	N/A	N/A	N/A
F	2	C, G, H, J, K	C, G	MV	91-0007		91-0007	76M8006	78-1542	76M9800
F	2	C, G, H, J, K	F, J	MV	91-0007		91-0007	76M8006	78-1542	76M9800
F	3	L	B	MV	91-0002		91-0002	57-2310	78-1406	93M0224
F	3	L	C, G	MV	91-0083		91-0005	57-2312	78-1408	93M0224
F	3	L	F, J	MV	91-0083		91-0005	57-2312	78-1408	93M0224
F	4	L	B	MV	91-0002		91-0002	57-2310	78-1406	93M0224
F	4	L	C, G	MV	91-0083		91-0005	57-2312	78-1408	93M0224
F	4	L	F, J	MV	91-0083		91-0005	57-2312	78-1408	93M0224

Size 12

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
G	B	D, F, G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
G	B	D, F, G, H, J, K	C, G	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	B	D, F, G, H, J, K	F, J	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	B	B, C	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
G	B	B, C	C, G	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	B	B, C	F, J	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	C	D, F, G, H, J, K	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
G	C	D, F, G, H, J, K	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	C	D, F, G, H, J, K	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	C	B, C	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
G	C	B, C	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	C	B, C	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	D	D, F, G, H, J, K	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF	Contact RCD Technical Support		
G	D	D, F, G, H, J, K	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	D	D, F, G, H, J, K	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	D	B, C	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
G	D	B, C	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	D	B, C	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	F	D, F, G, H, J, K	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
G	F	D, F, G, H, J, K	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	F	D, F, G, H, J, K	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	F	B, C	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
G	F	B, C	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	F	B, C	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
G	G	B, C, D, F, G, H, J, K	B	LAU	02437268	02437268	053781030X	39M02090617	N/A
G	G	B, C, D, F, G, H, J, K	C, G	LAU	02437268	02437268	053781030X	39M02090617	N/A
G	G	B, C, D, F, G, H, J, K	F, J	LAU	02437208	02437208	053781030X	39M02090617	N/A
G	H	B, C, D, F, G, H, J, K	B	LAU	02437267	02437267	00827661X	39M02090616	N/A
G	H	B, C, D, F, G, H, J, K	C, G	LAU	02437267	02437267	00827661X	39M02090616	N/A
G	H	B, C, D, F, G, H, J, K	F, J	LAU	02437267	02437267	00827661X	39M02090616	N/A
G	J	L	B	HB	RSAO 1.1875	RSAO 1.1875			
G	J	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			
G	J	L	F, J	HB	RSAO 1.9375	RSAO 1.9375			
G	K	L	B	HB	RSAO 1.1875	RSAO 1.1875			
G	K	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			
G	K	L	F, J	HB	RSAO 1.9375	RSAO 1.9375			
G	M	G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
G	M	G, H, J, K	C, G	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	M	G, H, J, K	F, J	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	M	C	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF	Contact RCD Technical Support		
G	M	C	C, G	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	M	C	F, J	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	P	G, H, J, K	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
G	P	G, H, J, K	C, G	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	P	G, H, J, K	F, J	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	P	C	B	HB	SKF SY-1.375 TF	SKF SY-1.375 TF			
G	P	C	C, G	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	P	C	F, J	HB	SKF SY-1.6875 TF	SKF SY-1.6875 TF			
G	R	C, G, H, J, K	B	LAU	02437267	02437267	00827661X	39M02090616	N/A
G	R	C, G, H, J, K	C, G	LAU	02437267	02437267	00827661X	39M02090616	N/A
G	R	C, G, H, J, K	F, J	LAU	02437267	02437267	00827661X	39M02090616	N/A
G	T	L	B	HB	RSAO 1.1875	RSAO 1.1875			
G	T	L	C, G	HB	RSAO 1.6875	RSAO 1.6875	Contact RCD Technical Support		
G	T	L	F, J	HB	RSAO 1.9375	RSAO 1.9375			
G	1	B, C, D, F, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
G	1	B, C, D, F, G, H, J, K	C, G	MV	91-0296	91-0296	57-2304	78-1544	76-9816
G	1	B, C, D, F, G, H, J, K	F, J	MV	91-0296	91-0296	57-2304	78-1544	76-9816
G	2	C, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
G	2	C, G, H, J, K	C, G	MV	91-0296	91-0296	57-2304	78-1544	76-9816
G	2	C, G, H, J, K	F, J	MV	91-0296	91-0296	57-2304	78-1544	76-9816
G	3	L	B	MV	91-0007	91-0007	57-2316	78-1410	93-0226
G	3	L	C, G	MV	91-0076	91-0007	57-2316	78-1410	93-0226
G	3	L	F, J	MV	91-0076	91-0007	57-2316	78-1410	93-0226
G	4	L	B	MV	91-0007	91-0007	57-2316	78-1410	93-0226
G	4	L	C, G	MV	91-0076	91-0007	57-2316	78-1410	93-0226
G	4	L	F, J	MV	91-0076	91-0007	57-2316	78-1410	93-0226

Size 14

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Drive Side Part No.	Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
H	B	D, F, G, H, J, K	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
H	B	D, F, G, H, J, K	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	B	D, F, G, H, J, K	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	B	B, C	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
H	B	B, C	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	B	B, C	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	C	D, F, G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
H	C	D, F, G, H, J, K	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
H	C	D, F, G, H, J, K	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
H	C	B, C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
H	C	B, C	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
H	C	B, C	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
H	D	D, F, G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
H	D	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
H	D	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
H	D	B, C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
H	D	B, C	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
H	D	B, C	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
H	F	D, F, G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
H	F	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
H	F	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
H	F	B, C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
H	F	B, C	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
H	F	B, C	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
H	G	B, C, D, F, G, H, J, K	B	LAU	02437268	02437268	01767164X	39M02090618	N/A
H	G	B, C, D, F, G, H, J, K	C, G	LAU	02437268	02437268	01767164X	39M02090618	N/A
H	G	B, C, D, F, G, H, J, K	F, J	LAU	02437208	02437208	01767164X	39M02090618	N/A
H	H	B, C, D, F, G, H, J, K	B	LAU	02437267	02437267	00865860X	39M01574614	N/A
H	H	B, C, D, F, G, H, J, K	C, G	LAU	02437267	02437267	00865860X	39M01574614	N/A
H	H	B, C, D, F, G, H, J, K	F, J	LAU	02437267	02437267	00865860X	39M01574614	N/A
H	J	L	B	HB	RSAO 1.1875	RSAO 1.1875			
H	J	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			
H	J	L	F, J	HB	RSAO 1.9375	RSAO 1.9375			
H	K	L	B	HB	RSAO 1.1875	RSAO 1.1875			
H	K	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			
H	K	L	F, J	HB	RSAO 1.9375	RSAO 1.9375			
H	M	G, H, J, K	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
H	M	G, H, J, K	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	M	G, H, J, K	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	M	C	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
H	M	C	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	M	C	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	P	G, H, J, K	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
H	P	G, H, J, K	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	P	G, H, J, K	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	P	C	B	HB	SKF SY-1.5 TF	SKF SY-1.5 TF			
H	P	C	C, G	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	P	C	F, J	HB	SKF SY-1.75 TF	SKF SY-1.75 TF			
H	R	C, G, H, J, K	B	LAU	02437267	02437267	00865860X	39M01574614	N/A
H	R	C, G, H, J, K	C, G	LAU	02437267	02437267	00865860X	39M01574614	N/A
H	R	C, G, H, J, K	F, J	LAU	02437267	02437267	00865860X	39M01574614	N/A
H	T	L	B	HB	RSAO 1.1875	RSAO 1.1875			
H	T	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			
H	T	L	F, J	HB	RSAO 1.9375	RSAO 1.9375			
H	1	B, C, D, F, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
H	1	B, C, D, F, G, H, J, K	C, G	MV	91-0296	91-0296	57-2304	78-1544	76-9816
H	1	B, C, D, F, G, H, J, K	F, J	MV	91-0296	91-0296	57-2304	78-1544	76-9816
H	2	C, G, H, J, K	B	N/A	N/A	N/A	N/A	N/A	N/A
H	2	C, G, H, J, K	C, G	MV	91-0296	91-0296	57-2304	78-1544	76-9816
H	2	C, G, H, J, K	F, J	MV	91-0296	91-0296	57-2304	78-1544	76-9816
H	3	L	B	MV	91-0007	91-0007	57-2316	78-1410	93-0226
H	3	L	C, G	MV	91-0076	91-0007	57-2316	78-1410	93-0226
H	3	L	F, J	MV	91-0076	91-0007	57-2316	78-1410	93-0226
H	4	L	B	MV	91-0007	91-0007	57-2316	78-1410	93-0226
H	4	L	C, G	MV	91-0076	91-0007	57-2316	78-1410	93-0226
H	4	L	F, J	MV	91-0076	91-0007	57-2316	78-1410	93-0226

Contact RCD Technical Support

Contact RCD Technical Support

Contact RCD Technical Support

Size 17

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
J	B	D, F, G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	B	D, F, G, H, J, K	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	B	D, F, G, H, J, K	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	B	B, C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	B	B, C	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	B	B, C	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	C	D, F, G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	C	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	C	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	C	B, C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	C	B, C	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	C	B, C	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	D	D, F, G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			Contact RCD Technical Support
J	D	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	D	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	D	B, C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	D	B, C	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	D	B, C	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	F	D, F, G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	F	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	F	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	F	B, C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	F	B, C	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	F	B, C	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
J	G	B, C, D, F, G, H, J, K	B	LAU	02437268	02437268	01767164X	39M02090618	N/A
J	G	B, C, D, F, G, H, J, K	C, G	LAU	02437268	02437268	01767164X	39M02090618	N/A
J	G	B, C, D, F, G, H, J, K	F, J	LAU	02437268	02437268	01767164X	39M02090618	N/A
J	H	B, C, D, F, G, H, J, K	B	LAU	02437267	02437267	00865860X	39M01574614	N/A
J	H	B, C, D, F, G, H, J, K	C, G	LAU	02437267	02437267	00865860X	39M01574614	N/A
J	H	B, C, D, F, G, H, J, K	F, J	LAU	02437267	02437267	00865860X	39M01574614	N/A
J	J	L	B	HB	RSAO 1.1875	RSAO 1.1875			
J	J	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			
J	J	L	F, J	HB	RSAO 1.9375	RSAO 1.9375			
J	K	L	B	HB	RSAO 1.4375	RSAO 1.4375			
J	K	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			
J	K	L	F, J	HB	RSAO 2.1875	RSAO 2.1875			
J	M	G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	M	G, H, J, K	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	M	G, H, J, K	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	M	C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			Contact RCD Technical Support
J	M	C	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	M	C	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	P	G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	P	G, H, J, K	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	P	G, H, J, K	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	P	C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
J	P	C	C, G	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	P	C	F, J	HB	SKF SY-1.9375 TF	SKF SY-1.9375 TF			
J	R	C, G, H, J, K	B	LAU	02437267	02437267	00865860X	39M01574614	N/A
J	R	C, G, H, J, K	C, G	LAU	02437267	02437267	00865860X	39M01574614	N/A
J	R	C, G, H, J, K	F, J	LAU	02437267	02437267	00865860X	39M01574614	N/A
J	T	L	B	HB	RSAO 1.4375	RSAO 1.4375			
J	T	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			Contact RCD Technical Support
J	T	L	F, J	HB	RSAO 2.1875	RSAO 2.1875			
J	1	B, C, D, F, G, H, J, K	B	MV	91-0296	91-0296	57-2301	78-1040	76-9802
J	1	B, C, D, F, G, H, J, K	C, G	MV	91-0297	91-0297	57-2305	78-1044	76-9802
J	1	B, C, D, F, G, H, J, K	F, J	MV	91-0017	91-0297	57-2305	78-1044	76-9802
J	2	C, G, H, J, K	B	MV	91-0296	91-0296	57-2301	78-1040	76-9802
J	2	C, G, H, J, K	C, G	MV	91-0297	91-0297	57-2305	78-1044	76-9802
J	2	C, G, H, J, K	F, J	MV	91-0017	91-0297	57-2305	78-1044	76-9802
J	3	L	B	MV	91-0007	91-0007	57-2318	78-1596	93M0227
J	3	L	C, G	MV	91-0076	91-0007	57-2318	78-1596	93M0227
J	3	L	F, J	MV	91-0076	91-0007	57-2318	78-1596	93M0227
J	4	L	B	MV	91-0007	91-0007	57-2318	78-1596	93M0227
J	4	L	C, G	MV	91-0076	91-0007	57-2318	78-1596	93M0227
J	4	L	F, J	MV	91-0076	91-0007	57-2318	78-1596	93M0227

Size 21

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Drive Side Part No.	Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
K	B	D, F, G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
K	B	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	B	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	B	B, C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
K	B	B, C	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	B	B, C	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	C	D, F, G, H, J, K	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
K	C	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	C	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	C	B, C	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
K	C	B, C	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	C	B, C	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	D	D, F, G, H, J, K	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
K	D	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	D	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	D	B, C	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
K	D	B, C	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	D	B, C	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	F	D, F, G, H, J, K	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
K	F	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	F	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	F	B, C	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
K	F	B, C	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	F	B, C	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
K	G	B, C, D, F, G, H, J, K	B	LAU	02437269	02437269	00827635X	39M02090620	N/A
K	G	B, C, D, F, G, H, J, K	C, G	LAU	02437269	02437269	00827635X	39M02090620	N/A
K	G	B, C, D, F, G, H, J, K	F, J	LAU	02437216	02437216	00827635X	39M02090620	N/A
K	H	B, C, D, F, G, H, J, K	B	LAU	02437268	02437268	01954006X	39M02090619	N/A
K	H	B, C, D, F, G, H, J, K	C, G	LAU	02437268	02437268	01954006X	39M02090619	N/A
K	H	B, C, D, F, G, H, J, K	F, J	LAU	02437208	02437208	01954006X	39M02090619	N/A
K	J	L	B	HB	RSAO 1.4375	RSAO 1.4375			
K	J	L	C, G	HB	RSAO 1.6875	RSAO 1.6875			
K	J	L	F, J	HB	RSAO 2.1875	RSAO 2.1875			
K	K	L	B	HB	RSAO 1.4375	RSAO 1.4375			
K	K	L	C, G	HB	SAF 22509-C3	SKF SY-107-TF			
K	K	L	F, J	HB	SAF 22509-C3	SKF SY-107-TF			
K	M	G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
K	M	G, H, J, K	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	M	G, H, J, K	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	M	C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
K	M	C	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	M	C	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	P	G, H, J, K	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
K	P	G, H, J, K	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	P	G, H, J, K	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	P	C	B	HB	SKF SY-1.625 TF	SKF SY-1.625 TF			
K	P	C	C, G	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	P	C	F, J	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
K	R	C, G, H, J, K	B	LAU	02437268	02437268	01954006X	39M02090619	N/A
K	R	C, G, H, J, K	C, G	LAU	02437268	02437268	01954006X	39M02090619	N/A
K	R	C, G, H, J, K	F, J	LAU	02437268	02437268	01954006X	39M02090619	N/A
K	T	L	B	HB	RSAO 1.4375	RSAO 1.4375			
K	T	L	C, G	HB	SAF 22509-C3	SKF SY-107-TF			
K	T	L	F, J	HB	SAF 22509-C3	SKF SY-107-TF			
K	1	B, C, D, F, G, H, J, K	B	MV	91-0296	91-0296	57-2302	78-1545	76-9817
K	1	B, C, D, F, G, H, J, K	C, G	MV	91-0297	91-0297	57-2306	78-1546	76-9817
K	1	B, C, D, F, G, H, J, K	F, J	MV	91-0017	91-0297	57-2306	78-1546	76-9817
K	2	C, G, H, J, K	B	MV	91-0296	91-0296	57-2302	78-1545	76-9817
K	2	C, G, H, J, K	C, G	MV	91-0297	91-0297	57-2306	78-1546	76-9817
K	2	C, G, H, J, K	F, J	MV	91-0017	91-0297	57-2306	78-1546	76-9817
K	3	L	B	MV	91-0006	91-0007	57-2320	78-1597	93M0228
K	3	L	C, G	MV	91-0076	91-0007	57-2320	78-1597	93M0228
K	3	L	F, J	MV	91-0076	91-0007	57-2320	78-1597	93M0228
K	4	L	B	MV	91-0006	91-0007	57-2320	78-1597	93M0228
K	4	L	C, G	MV	91-0076	91-0007	57-2320	78-1597	93M0228
K	4	L	F, J	MV	91-0076	91-0007	57-2320	78-1597	93M0228

Contact RCD Technical Support

Contact RCD Technical Support

Contact RCD Technical Support

Size 25

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Side Part No.	Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
L	B	D, F, G, H, J, K	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875				
L	B	D, F, G, H, J, K	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	B	D, F, G, H, J, K	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	B	B, C	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875				
L	B	B, C	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	B	B, C	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	C	D, F, G, H, J, K	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875				
L	C	D, F, G, H, J, K	C, G	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875				
L	C	D, F, G, H, J, K	F, J	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875				
L	C	B, C	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875				
L	C	B, C	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125				
L	C	B, C	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125				
L	D	D, F, G, H, J, K	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875				Contact RCD Technical Support
L	D	D, F, G, H, J, K	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125				
L	D	D, F, G, H, J, K	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125				
L	D	B, C	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875				
L	D	B, C	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125				
L	D	B, C	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125				
L	F	D, F, G, H, J, K	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875				
L	F	D, F, G, H, J, K	C, G	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875				
L	F	D, F, G, H, J, K	F, J	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875				
L	F	B, C	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875				
L	F	B, C	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125				
L	F	B, C	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125				
L	G	B, C, D, F, G, H, J, K	B	LAU	02437269	02437269		02594710X	39M02578040	N/A
L	G	B, C, D, F, G, H, J, K	C, G	LAU	02437269	02437269		02594710X	39M02578040	N/A
L	G	B, C, D, F, G, H, J, K	F, J	LAU	02437216	02437216		02594710X	39M02578040	N/A
L	H	B, C, D, F, G, H, J, K	B	LAU	02437268	02437268		01954006X	39M02090619	N/A
L	H	B, C, D, F, G, H, J, K	C, G	LAU	02437268	02437268		01954006X	39M02090619	N/A
L	H	B, C, D, F, G, H, J, K	F, J	LAU	02437208	02437208		01954006X	39M02090619	N/A
L	J	L	B	HB	RSAO 1.4375	RSAO 1.4375				
L	J	L	C, G	HB	SAF 22509-C3	SKF SY-107-TF				
L	J	L	F, J	HB	SAF 22509-C3	SKF SY-107-TF				
L	K	L	B	HB	RSAO 1.4375	RSAO 1.4375				
L	K	L	C, G	HB	SAF 22509-C3	SKF SY-107-TF				
L	K	L	F, J	HB	SAF 22509-C3	SKF SY-107-TF				
L	M	G, H, J, K	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875				
L	M	G, H, J, K	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	M	G, H, J, K	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	M	C	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875				Contact RCD Technical Support
L	M	C	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	M	C	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	P	G, H, J, K	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875				
L	P	G, H, J, K	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	P	G, H, J, K	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	P	C	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875				
L	P	C	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	P	C	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375				
L	R	C, G, H, J, K	B	LAU	02437268	02437268		01954006X	39M02090619	N/A
L	R	C, G, H, J, K	C, G	LAU	02437268	02437268		01954006X	39M02090619	N/A
L	R	C, G, H, J, K	F, J	LAU	02437208	02437208		01954006X	39M02090619	N/A
L	T	L	B	HB	RSAO 1.4375	RSAO 1.4375				
L	T	L	C, G	HB	SAF 22509-C3	SKF SY-107-TF				Contact RCD Technical Support
L	T	L	F, J	HB	SAF 22509-C3	SKF SY-107-TF				
L	1	B, C, D, F, G, H, J, K	B	MV	91-0297	91-0297		57-2303	78-1041	76-9803
L	1	B, C, D, F, G, H, J, K	C, G	MV	91-0298	91-0298		57-2307	78-1045	76-9803
L	1	B, C, D, F, G, H, J, K	F, J	MV	91-0029	91-0298		57-2307	78-1045	76-9803
L	2	C, G, H, J, K	B	MV	91-0297	91-0297		57-2303	78-1041	76-9803
L	2	C, G, H, J, K	C, G	MV	91-0298	91-0298		57-2307	78-1045	76-9803
L	2	C, G, H, J, K	F, J	MV	91-0029	91-0298		57-2307	78-1045	76-9803
L	3	L	B	MV	91-0006	91-0007		57-2322	78-1598	93M0229
L	3	L	C, G	MV	91-0076	91-0007		57-2322	78-1598	93M0229
L	3	L	F, J	MV	91-0076	91-0007		57-2322	78-1598	93M0229
L	4	L	B	MV	91-0006	91-0007		57-2322	78-1598	93M0229
L	4	L	C, G	MV	91-0076	91-0007		57-2322	78-1598	93M0229
L	4	L	F, J	MV	91-0076	91-0007		57-2322	78-1598	93M0229

Size 30

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
M	B	D, F, G, H, J, K	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
M	B	D, F, G, H, J, K	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	B	D, F, G, H, J, K	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	B	B, C	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
M	B	B, C	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	B	B, C	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	C	D, F, G, H, J, K	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
M	C	D, F, G, H, J, K	C, G	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875			
M	C	D, F, G, H, J, K	F, J	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875			
M	C	B, C	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
M	C	B, C	C, G	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875			
M	C	B, C	F, J	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875			
M	D	D, F, G, H, J, K	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
M	D	D, F, G, H, J, K	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	D	D, F, G, H, J, K	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	D	B, C	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
M	D	B, C	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	D	B, C	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	F	D, F, G, H, J, K	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
M	F	D, F, G, H, J, K	C, G	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875			
M	F	D, F, G, H, J, K	F, J	HB	Fafnir RAS 2.1875	Fafnir RAS 2.1875			
M	F	B, C	B	HB	Fafnir RAS 1.875	Fafnir RAS 1.875			
M	F	B, C	C, G	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	F	B, C	F, J	HB	Fafnir RAS 2.125	Fafnir RAS 2.125			
M	G	B, C, D, F, G, H, J, K	B	LAU	02437269	02437269	05031405X	39M02578099	N/A
M	G	B, C, D, F, G, H, J, K	C, G	LAU	02437269	02437269	05031405X	39M02578099	N/A
M	G	B, C, D, F, G, H, J, K	F, J	LAU	02437216	02437216	05031405X	39M02578099	N/A
M	H	B, C, D, F, G, H, J, K	B	LAU	02437269	02437269	05031406X	39M05046982	N/A
M	H	B, C, D, F, G, H, J, K	C, G	LAU	02437269	02437269	05031406X	39M05046982	N/A
M	H	B, C, D, F, G, H, J, K	F, J	LAU	02437216	02437216	05031406X	39M05046982	N/A
M	J	L	B	HB	RSAO 1.4375	RSAO 1.4375			
M	J	L	C, G	HB	SAF 22509-C3	SAF SY-107-TF			
M	J	L	F, J	HB	SAF 22509-C3	SAF SY-107-TF			
M	K	L	B	HB	RSAO 1.6875	RSAO 1.6875			
M	K	L	C, G	HB	SAF 22510-C3	SAF SY-111-TF			
M	K	L	F, J	HB	SAF 22511-C3	SAF SY-115-TF			
M	M	G, H, J, K	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
M	M	G, H, J, K	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
M	M	G, H, J, K	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
M	M	C	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
M	M	C	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
M	M	C	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
M	P	G, H, J, K	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
M	P	G, H, J, K	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
M	P	G, H, J, K	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
M	P	C	B	HB	Fafnir RAS 1.6875	Fafnir RAS 1.6875			
M	P	C	C, G	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
M	P	C	F, J	HB	Fafnir RAS 1.9375	Fafnir RAS 1.9375			
M	R	C, G, H, J, K	B	LAU	02437269	02437269	05031406X	39M05046982	N/A
M	R	C, G, H, J, K	C, G	LAU	02437269	02437269	05031406X	39M05046982	N/A
M	R	C, G, H, J, K	F, J	LAU	02437216	02437216	05031406X	39M05046982	N/A
M	T	L	B	HB	RSAO 1.6875	RSAO 1.6875			
M	T	L	C, G	HB	SAF 22510-C3	SAF SY-111-TF			
M	T	L	F, J	HB	SAF 22511-C3	SAF SY-115-TF			
M	1	B, C, D, F, G, H, J, K	B	MV	91-0297	91-0297	57-2303	78-1041	76-9803
M	1	B, C, D, F, G, H, J, K	C, G	MV	91-0298	91-0298	57-2307	78-1045	76-9803
M	1	B, C, D, F, G, H, J, K	F, J	MV	91-0029	91-0298	57-2307	78-1045	76-9803
M	2	C, G, H, J, K	B	MV	91-0297	91-0297	57-2303	78-1041	76-9803
M	2	C, G, H, J, K	C, G	MV	91-0298	91-0298	57-2307	78-1045	76-9803
M	2	C, G, H, J, K	F, J	MV	91-0029	91-0298	57-2307	78-1045	76-9803
M	3	L	B	MV	91-0013	91-0012	57-2324	78-1599	93M0230
M	3	L	C, G	MV	91-0010	91-0012	57-2324	78-1599	93M0230
M	3	L	F, J	MV	91-0010	91-0012	57-2324	78-1599	93M0230
M	4	L	B	MV	91-0013	91-0012	57-2324	78-1599	93M0230
M	4	L	C, G	MV	91-0010	91-0012	57-2324	78-1599	93M0230
M	4	L	F, J	MV	91-0010	91-0012	57-2324	78-1599	93M0230

Contact RCD Technical Support

Contact RCD Technical Support

Contact RCD Technical Support

Size 36

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Drive Side Part No.	Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
N	G	B, C, D, F, G, H, J, K	B	LAU	02437253	02437253	05031206	01574686	N/A
N	G	B, C, D, F, G, H, J, K	C, G	LAU	02437253	02437253	05031206	01574686	N/A
N	G	B, C, D, F, G, H, J, K	F, J	LAU	02437253	02437253	05031206	01574686	N/A
N	H	B, C, D, F, G, H, J, K	B	LAU	02437294	02437294	05031009	05359726	N/A
N	H	B, C, D, F, G, H, J, K	C, G	LAU	02437294	02437294	05031009	05359726	N/A
N	H	B, C, D, F, G, H, J, K	F, J	LAU	02437294	02437294	05031009	05359726	N/A
N	R	C, G, H, J, K	B	LAU	02437294	02437294	05031009	05359726	N/A
N	R	C, G, H, J, K	C, G	LAU	02437294	02437294	05031009	05359726	N/A
N	R	C, G, H, J, K	F, J	LAU	02437294	02437294	05031009	05359726	N/A
N	1	B, C, D, F, G, H, J, K	B	MV	91-0298	91-0298	57-1028	78-1042	76-9804
N	1	B, C, D, F, G, H, J, K	C, G	MV	91-0299	91-0299	57-1029	78-1046	76-9804
N	1	B, C, D, F, G, H, J, K	F, J	MV	91-0036	91-0299	57-1029	78-1046	76-9804
N	2	C, G, H, J, K	B	MV	91-0026	91-0026	57-1030	78-1043	76-9805
N	2	C, G, H, J, K	C, G	MV	91-0033	91-0033	57-1031	78-1047	76-9805
N	2	C, G, H, J, K	F, J	MV	91-0035	91-0035	57-1031	78-1047	76-9805
N	3	L	B	MV	91-0013	91-0012	57-1018	78-1600	93-0231
N	3	L	C, G	MV	91-0010	91-0012	57-1018	78-1600	93-0231
N	3	L	F, J	MV	91-0010	91-0012	57-1018	78-1600	93-0231
N	4	L	B	MV	91-0013	91-0012	57-1018	78-1600	93-0231
N	4	L	C, G	MV	91-0010	91-0012	57-1018	78-1600	93-0231
N	4	L	F, J	MV	91-0010	91-0012	57-1018	78-1600	93-0231

Size 40

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Drive Side Part No.	Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
P	G	B, C, D, F, G, H, J, K	B	LAU	02437294	02437294	05031007	01574687	N/A
P	G	B, C, D, F, G, H, J, K	C, G	LAU	02437294	02437294	05031007	01574687	N/A
P	G	B, C, D, F, G, H, J, K	F, J	LAU	02437294	02437294	05031007	01574687	N/A
P	H	B, C, D, F, G, H, J, K	B	LAU	02437294	02437294	05031009	05359726	N/A
P	H	B, C, D, F, G, H, J, K	C, G	LAU	02437294	02437294	05031009	05359726	N/A
P	H	B, C, D, F, G, H, J, K	F, J	LAU	02437294	02437294	05031009	05359726	N/A
P	R	C, G, H, J, K	B	LAU	02437294	02437294	05031009	05359726	N/A
P	R	C, G, H, J, K	C, G	LAU	02437294	02437294	05031009	05359726	N/A
P	R	C, G, H, J, K	F, J	LAU	02437294	02437294	05031009	05359726	N/A
P	1	B, C, D, F, G, H, J, K	B	MV	91-0026	91-0026	57-1030	78-1043	76-9805
P	1	B, C, D, F, G, H, J, K	C, G	MV	91-0033	91-0033	57-1031	78-1047	76-9805
P	1	B, C, D, F, G, H, J, K	F, J	MV	91-0035	91-0035	57-1031	78-1047	76-9805
P	2	C, G, H, J, K	B	MV	91-0034	91-0034	57-1032	78-1031	76-9806
P	2	C, G, H, J, K	C, G	MV	91-0017	91-0017	57-1033	78-1229	76-9806
P	2	C, G, H, J, K	F, J	MV	91-0017	91-0017	57-1033	78-1229	76-9806
P	3	L	B	MV	91-0013	91-0012	57-1018	78-1600	93-0231
P	3	L	C, G	MV	91-0010	91-0012	57-1018	78-1600	93-0231
P	3	L	F, J	MV	91-0010	91-0012	57-1018	78-1600	93-0231
P	4	L	B	MV	91-0023	91-0019	57-1020	78-1601	93-0232
P	4	L	C, G	MV	91-0017	91-0019	57-1020	78-1601	93-0232
P	4	L	F, J	MV	91-0017	91-0019	57-1020	78-1601	93-0232

Size 50

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
Q	G	B, C, D, F, G, H, J, K	B	LAU	02437294	02437294	05030806	05046909	N/A
Q	G	B, C, D, F, G, H, J, K	C, G	LAU	02437294	02437294	05030806	05046909	N/A
Q	G	B, C, D, F, G, H, J, K	F, J	LAU	02437292	02437292	05030806	05046909	N/A
Q	H	B, C, D, F, G, H, J, K	B	LAU	02437294	02437294	05030808	05046911	N/A
Q	H	B, C, D, F, G, H, J, K	C, G	LAU	02437294	02437294	05030808	05046911	N/A
Q	H	B, C, D, F, G, H, J, K	F, J	LAU	02437294	02437294	05030808	05046911	N/A
Q	R	C, G, H, J, K	B	LAU	02437294	02437294	05030808	05046911	N/A
Q	R	C, G, H, J, K	C, G	LAU	02437294	02437294	05030808	05046911	N/A
Q	R	C, G, H, J, K	F, J	LAU	02437294	02437294	05030808	05046911	N/A
Q	1	B, C, D, F, G, H, J, K	B	MV	91-0034	91-0034	57-1032	78-1031	76-9806
Q	1	B, C, D, F, G, H, J, K	C, G	MV	91-0017	91-0017	57-1033	78-1229	76-9806
Q	1	B, C, D, F, G, H, J, K	F, J	MV	91-0017	91-0017	57-1033	78-1229	76-9806
Q	2	C, G, H, J, K	B	MV	91-0034	91-0034	57-1034	78-1032	76-9807
Q	2	C, G, H, J, K	C, G	MV	91-0029	91-0029	57-1035	78-1232	76-9807
Q	2	C, G, H, J, K	F, J	MV	91-0029	91-0029	57-1035	78-1232	76-9807
Q	3	L	B	MV	91-0023	91-0019	57-1020	78-1601	93-0232
Q	3	L	C, G	MV	91-0017	91-0019	57-1020	78-1601	93-0232
Q	3	L	F, J	MV	91-0017	91-0019	57-1020	78-1601	93-0232
Q	4	L	B	MV	91-0031	91-0026	57-1022	78-1602	93-0233
Q	4	L	C, G	MV	91-0029	91-0026	57-1022	78-1602	93-0233
Q	4	L	F, J	MV	91-0029	91-0026	57-1022	78-1602	93-0233

Size 61

Position 5	Position 6	Position 7	Position 9	Supplier	Bearing Side Part No.	Drive Bearing Free Side Part No.	Wheel Part No.	Shaft Part No.	Inlet Bell Part No.
R	G	B, C, D, F, G, H, J, K	B	LAU	02437294	02437294	05030808	05046911	N/A
R	G	B, C, D, F, G, H, J, K	C, G	LAU	02437294	02437294	05030808	05046911	N/A
R	G	B, C, D, F, G, H, J, K	F, J	LAU	02437292	02437292	05030808	05046911	N/A
R	H	B, C, D, F, G, H, J, K	B	LAU	02437293	02437293	05030613	05359730	N/A
R	H	B, C, D, F, G, H, J, K	C, G	LAU	02437293	02437293	05030613	05359730	N/A
R	H	B, C, D, F, G, H, J, K	F, J	LAU	02437293	02437293	05030613	05359730	N/A
R	R	C, G, H, J, K	B	LAU	02437293	02437293	05030613	05359730	N/A
R	R	C, G, H, J, K	C, G	LAU	02437293	02437293	05030613	05359730	N/A
R	R	C, G, H, J, K	F, J	LAU	02437293	02437293	05030613	05359730	N/A
R	1	B, C, D, F, G, H, J, K	B	MV	91-0034	91-0034	57-1034	78-1032	76-9807
R	1	B, C, D, F, G, H, J, K	C, G	MV	91-0029	91-0029	57-1035	78-1232	76-9807
R	1	B, C, D, F, G, H, J, K	F, J	MV	91-0029	91-0029	57-1035	78-1232	76-9807
R	2	C, G, H, J, K	B	MV	91-0302	91-0302	57-1036	78-1033	76-9808
R	2	C, G, H, J, K	C, G	MV	91-0029	91-0029	57-1037	78-1233	76-9808
R	2	C, G, H, J, K	F, J	MV	91-0029	91-0029	57-1037	78-1233	76-9808
R	3	L	B	MV	91-0031	91-0026	57-1022	78-1602	93-0233
R	3	L	C, G	MV	91-0029	91-0026	57-1022	78-1602	93-0233
R	3	L	F, J	MV	91-0029	91-0026	57-1022	78-1602	93-0233
R	4	L	B	MV	91-0040	91-0302	57-1024	78-1603	93-0234
R	4	L	C, G	MV	91-0041	91-0302	57-1025	78-1603	93-0234
R	4	L	F, J	MV	91-0041	91-0302	57-1025	78-1603	93-0234

POLICY:

There is no policy associated with this bulletin.