

	Form Number 201.18-RP6 (LS01)	503
	Supercedes: None	
LITERATURE SUPPLEMENT	File with: 201.18-RP6 (900)	
Subject: Correction to RELIEF VALVES AND HP CUTOUT SWITCH (See pages 18 and 19).		

NOTE: The pages contained within this supplement may be substituted for pages in 201.18-RP6 (900)

MODELS YCAS0283, YCAS0303, YCAS0323 & YCAS0343

50 HERTZ



Revised Relief Valve and High Pressure Cut Out Switch part numbers (See page 18).



200-3-60
230-3-60
315-3-60
460-3-60
575-3-60
MODELS ONLY


RELIEF VALVES AND HP CUTOUT SWITCH

LINE NUMBER APPLICATIONS		
LINE NUMBER	APPLICATION	P.I.N. POS.42 OF MODEL #
-001	ASME	A
-401	FRENCH	F
-901	GERMAN	T



DETAIL A

Use for Line # 001
SYSTEM #1 & #2



DETAIL A

Use for Line #s 401 & 901
SYSTEM #1 & #2


LD052570

FIG. 9 – RELIEF VALVES AND HP CUTOUT SWITCH (REF. TABLE 9, PAGE 18)

TABLE 9 – RELIEF VALVES AND HP CUTOUT SWITCH (SEE FIG. 9, PAGES 18 AND 19)


ITEM	QUANTITY PER CHILLER	DESCRIPTION	SYSTEM	ALL MODELS
15	2	Low Side Relief, Angle V 21 Bar	Both	022-09793-000
16	2	High Side Relief, Angle V 31 Bar	Both	022-09794-000
17	2	High Side Relief, Str Thru 405 PSIG	Both	022-08863-000
18	2	Low Side Relief, Str Thru 300 PSIG	Both	022-03056-000
19	2	Tube for 15 & 16	Both	075-30993-000
20	2	Tube for 17 & 18	Both	375-30919-000
21	2	Adapter for 15 & 16	Both	023-00124-000
22	2	HP Sw, Man Reset 27.9 Bar	Both	025-34119-000
23	2	HP Sw, Man Reset 27.2 Bar	Both	025-34120-000
24	2	Tee for 22/23	Both	023-00972-000
25	2	HP Sw, NC, Auto Reset, 405 PSIG	Both	025-30480-000
26	2	O-Ring, 3-904	Both	028-13540-000

RELIEF VALVES AND HP CUTOUT SWITCH (CONT'D)




DETAIL B
Use for Line # 901
SYSTEM #1 & #2


LD052690



LD05270



DETAIL C
Use for Line #901
SYSTEM #1 & #2



DETAIL C
Use for Line #401
SYSTEM #1 & #2

LD052710

FIG. 9 (CONT'D) – RELIEF VALVES AND HP CUTOUT SWITCH (REF. TABLE 9, PAGE 18)

This page intentionally left blank